



HOLOGRAMS UK

OLED DISPLAYS

HOLOGRAMSUK.COM



HOLOGRAMS UK

07847 274283

SALES@HOLOGRAMSUK.COM

HOLOGRAMSUK.COM



About us

Holograms UK is at the forefront of immersive display technology, delivering cutting-edge OLED display solutions that transform the way businesses communicate with their audiences. From consultation and supply to installation and ongoing support, we provide complete OLED display solutions tailored to a wide range of commercial environments.

Our expertise is backed by partnerships with leading OLED panel manufacturers, including LG, BOE and JDI, giving us access to the latest advancements in transparent and flexible OLED technology. By working with industry-leading suppliers, we ensure every solution delivers exceptional performance, reliability and visual impact.

We are passionate about creating unforgettable visual experiences. Whether it's an eye-catching retail display, a modern corporate reception, an interactive museum exhibit or an experiential marketing installation, our OLED displays integrate seamlessly into their surroundings while delivering stunning image quality.

Our transparent OLED displays offer vibrant colours, true blacks and outstanding energy efficiency, producing a striking floating-image effect that captures attention and elevates premium retail environments, exhibitions and brand experiences.

For projects that demand something different, our flexible OLED displays can be curved around columns, wrapped over edges and incorporated into unconventional architectural features. This design freedom allows businesses to create truly unique installations that bring spaces to life with vivid, high-resolution content.

OLED technology represents the future of commercial display solutions, and Holograms UK is committed to helping businesses harness its full potential. Every solution we deliver is designed to enhance advertising, information display and interactive customer experiences while combining innovative technology with dependable performance.


At Holograms UK, innovation, quality and customer service are at the heart of everything we do. By combining industry-leading technology with expert knowledge and a commitment to excellence, we help organisations create memorable visual experiences that leave a lasting impression.

2025 New Product



RK-O77-LTG6

P. 13-14



RK-O55-LTPA

P. 17-18



RK-O30-LTPA

P. 23-24



RK-O48-LTPX

P. 25-26



RK-O55-LTPX

P. 27-28

AI Navigator T_OLED Display




30" Navigator I

P. 21-22



55" Navigator I


P. 19-20



55" Navigator II

P. 17-18

■ T - OLED comes in a rich variety of styles, spanning multiple fields



RK-L21-MZXX

P. 15-16




RK-O30-ZTP6

P. 29-30



RK-O30-QTP6

P. 31-32



RK-O48-QTP6

P. 33-34




RK-O55-QTP6-L

P. 35-36




RK-O55-ZTP6-TV

P. 37-38



RK-O77-QTGA


P. 39-40



RK-O30-MTP6/RK-O55/77-MTPA

P. 41-42

* For more product models, please contact the CEOLED Display sales team.



RK-O55-LTP6-ART

P. 43-44



RK-O55-LTP6-AI

P. 45-46




RK-O30-LTP6-K

P. 47-48



RK-O30-LTP6-Z

P. 49-50



RK-O48-QTP6-B

P. 51-52




RK-O55-PTG6-1X2

P. 53-54



RK-O55-LTP6-R

P. 55-56



RK-O55-PTG6-2X2

P. 57-58

* For more product models, please contact the CEOLED Display sales team.



RK-O55-WTG2

P. 59-60



RK-O30-LTGA

P. 61-62



RK-O48-GTPA

P. 63-64



RK-O30-LTGA

P. 65-66




RK-O30-LTPA

P. 67-68



RK-O55-DRN6

P. 69-70



C-OLED

P. 71-72

Product Display



OLED Showroom



6x3 Curvable Video Wall



Fridge & Bakery



Metro Window



Shops & Perfume

Enterprise Exhibition



Retail



Museum



Rail Transit



At Home



OLED -T value

The openness of the office environment

Touchable interaction, providing more information

Spatial openness

Catch consumers' attention

Enhance brand image

Innovative Digital Experience

Deliver Information

The screen provides effective content

Open a new chapter of future travel

Reflecting a high-end decorative effect

As a part of decoration, the smart wall can save space.

Application Scenario

Office

Conference room

Exhibition hall

Department store

Shopping center

Retail store \ 4S store

Museums

Art Galleries

Subway Car Window

Metro Automatic Door

Transparent display

Smart home communication terminal

RK-O77-LTG6

77"

77-Inch Transparent Floor Standing OLED Kiosk



- ▶ 77" Size
- ▶ Resolution (3840 x 2160)
- ▶ 43% Transparency (Typ.)
- ▶ Array microphone, 4K camera
- ▶ P-cap touch
- ▶ OLED Care system

Product Highlights

Fashionable appearance: The screen frame adopts a simple yet luxurious design, and the ultra-thin body and exquisite craftsmanship make this transparent screen the focus of any occasion.

Flexible application scenarios: Whether it's window displays in high-end shopping malls, interactive areas in art exhibitions, or live broadcasts at fashion conferences, the 77 inch digital human transparent screen can be perfectly integrated, bringing unforgettable visual feasts to the audience.



Specifications

Model	RK-O77-LTG6
<i>Display Size</i>	77"
<i>Display Resolution</i>	4K (3840 x 2160)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	PCAP Touch /No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1972 * 1040 * 597(mm)
<i>Weight(Net Weight)</i>	200 kg (440.9 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<600W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.


RK-L21-MZXX

20.8"

20.8-Inch Transparent screen Mutil
Language Translator



- ▶ *The first double-sided transparent display*
- ▶ *Equipped with KDDI voice translation system*
- ▶ *Support multi-language translation system*
- ▶ *Powered by iFly Tek*



Product Highlights

20.8LCD double-sided transparent screen support double-sided display function, can display different contents on both sides at the same time, to meet the information display needs in different scenes. In international places, the double-sided transparent screen can support multiple language display, providing international travelers with more convenient information services.



Specifications

Model	RK-L21-MZXX
<i>Display Size</i>	20.8" LCD
<i>Display Resolution</i>	1280 x 720
<i>RangeBrightness(typical)</i>	300cd/m²
<i>Basic Interface</i>	HDMI / USB / RS232
<i>Operating System</i>	Android System
<i>Touch Type</i>	P-cap Touch
<i>Frame Frequency</i>	120Hz
<i>Contrast Ratio(typical)</i>	1500 : 1
<i>Response Time(typical)</i>	<1 ms
<i>Color Depth</i>	4096 colors
<i>Product Dimension</i>	565*319*180(mm)
<i>Weight(Net Weight)</i>	8.5 kg (18.7 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<60W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-LTPA

55"


55-Inch AI Transparent Navigator (II)



- ▶ *55" Size*
- ▶ *Windows based system*
- ▶ *8-hour battery usage time*
- ▶ *Automatic obstacle avoidance*
- ▶ *AI system optional (Chatgpt/Deepseek)*
- ▶ *Array microphone 4K camera*
- ▶ *OLED Care system*

Product Highlights

This 55 inch mobile AI digital human transparent screen (second generation) is an innovative product that combines futuristic technology and practicality. It cleverly combines robotics technology with virtual display technology, bringing users an unprecedented visual and interactive experience. The 55 inch mobile AI digital person transparent screen (second generation) also has mobility and can provide services to users anytime and anywhere.



Specifications

Model	RK-O55-LTPA
Display Size	55"
Display Resolution	Full HD (1920 x 1080)
Brightness Range	200-600 cd/m²
Basic Interface	HDMI / DP/USB/ RS232
Touch	PCAP Touch
Transparency(Typ.)	43%
OLED Care system	YES
Frame	Aluminum
PC(win 10)	I5-12450H 16+512G Integrated Graphics
	I5-13400F 32G+512G 3060/8G Discrete Graphics Card
Product Dimension	1860 * 832 * 570(mm)
Weight(Net Weight)	110 kg (242.5 lbs)
Power Requirements	100 to 240V AC
Power Consumption	<200W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-LTPA

55"


55-Inch Navigator (I)



- ▶ *AI Navigator Robot*
- ▶ *Android OS +ROS Robot system*
- ▶ *Front FHD Camera +Array Microphone*
- ▶ *Power Supply : built-in Battery*
- ▶ *Battery Working Time : 6-8 hours*
- ▶ *OLED Care system*

Product Highlights

1. "Smart Robot Integrated with Transparent OLED Technology" - Combines advanced robotics with a transparent OLED display, offering an innovative visual experience.
2. "8-Hour Battery Life" - Ensures prolonged operational capability with an extended 8-hour battery life, supporting continuous use throughout the day.
3. "Automatic Return-to-Base Charging" - Features intelligent self-navigation back to the charging station, ensuring the device is always ready for use.



Specifications

Model	RK-O55-LTPA
Display Size	55"
Display Resolution	Full HD (1920 x 1080)
Brightness Range	200-600 cd/m²
Basic Interface	HDMI / DP/USB/ RS232
Touch	PCAP Touch
Transparency(Typ.)	43%
OLED Care system	YES
Frame	Aluminum
Panel Lifetime	30,000 Hrs (Typ.)
System	Android
Product Dimension	1775 * 770 * 572 (mm)
Weight(Net Weight)	108.5 kg (239.2 lbs)
Power Requirements	100 to 240V AC
Power Consumption	<260W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-LTPX

30"

30-Inch OLED_T Navigator




- ▶ *30" Size*
- ▶ *Resolution (1366 x 768)*
- ▶ *43% Transparency (Typ.)*
- ▶ *5-hour battery usage time*
- ▶ *OLED Care system*

Product Highlights

The OLED_T Mobile AI Transparent Coffee Maker features a modern and minimalist design with smooth lines and elegant shapes overall.

Its unique OLED transparent display, intelligent AI control, mobile portability, modern minimalist design and high energy efficiency bring users a convenient, efficient and personalised coffee experience, and demonstrate the perfect combination of technology and aesthetics.



Specifications

Model	RK-O30-LTPX
Display Size	30"
Display Resolution	1366 x 768
Brightness Range	200-600 cd/m²
Basic Interface	HDMI / DP/USB/ RS232
Touch	PCAP Touch
Transparency(Typ.)	43%
OLED Care system	YES
Frame	Aluminum
Panel Lifetime	30,000 Hrs (Typ.)
System	Android
Product Dimension	1750 * 500 * 500(mm)
Weight(Net Weight)	66.88 kg (147.4 lbs)
Power Requirements	100 to 240V AC
Power Consumption	<150W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-LTPA

30"



30-Inch 360-Degree Rotating Transparent OLED Advertising Display



- ▶ *30" Size*
 - ▶ *Resolution (1366 x 768)*
 - ▶ *43% Transparency (Typ.)*
 - ▶ *360-degree free rotation*
 - ▶ *The ambient light display is adjustable*
-

Product Highlights

Featuring a high-definition 30-inch transparent OLED screen paired with a neon-lit base that rotates automatically through 360 degrees, it looks absolutely stunning. Capable of showcasing your advertising content from multiple angles, it is perfectly suited for in-store display applications.



Specifications

Model	RK-O30-LTPA
Display Size	30"
Display Resolution	1366 x 768
Brightness Range	200-600 cd/m²
Basic Interface	HDMI / DP/USB/ RS232
Touch	PCAP Touch
Transparency(Typ.)	43%
OLED Care system	YES
Frame	Aluminum
Panel Lifetime	30,000 Hrs (Typ.)
System	Android
Product Dimension	1750 * 500 * 500(mm)
Weight(Net Weight)	64.5 kg (142.1 lbs)
Power Requirements	100 to 240V AC
Power Consumption	<150W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O48-LTPX

48"

48-Inch Transparent Wayfinding Display



- ▶ 48" Size
- ▶ Resolution (1920 x 540)
- ▶ 43% Transparency (Typ.)
- ▶ Combined with virtual display
- ▶ OLED Care system

Product Highlights

The 48 inch transparent screen is one of the core highlights of this advertising screen. It adopts advanced transparent display technology, which can present brightly colored and clear image advertising content while maintaining screen transparency. This transparency design not only ensures that the advertising screen does not obstruct the scenery behind it when displaying advertisements, but also integrates with the environment, creating a more harmonious and natural display effect.



Specifications

Model	RK-O48-LTPX
<i>Display Size</i>	48"
<i>Display Resolution</i>	1920 x 540
<i>Brightness Range</i>	150-400 cd/m ²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>Contrast</i>	150000: 1
<i>Frame</i>	Iron
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	2000* 510 *450(mm)
<i>Weight(Net Weight)</i>	57.2 kg (126.1 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<200W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-LTPX

55"

55-Inch Transparent All In One Display



- ▶ *55" Size*
- ▶ *Resolution (1920 x 1080)*
- ▶ *43% Transparency (Typ.)*
- ▶ *Compatible with terminal devices: card swiping, calling, printing, etc*
- ▶ *OLED Care system*

Product Highlights

The 55 inch transparent display self-service terminal all-in-one machine makes information display clearer and more intuitive, providing users with an excellent visual experience. This display screen not only presents high-definition images and videos, but also supports multi touch operation, allowing users to query the required information through simple touch. On the left side of the device, there is also a small POS machine. A complete range of services.



Specifications

Model	RK-O55-LTPX
<i>Display Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch</i>	PCAP Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1780 * 890 * 514(mm)
<i>Weight(Net Weight)</i>	95 kg (209.4 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<200W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-ZTP6

30"

30-Inch Monitor Display



- ▶ 30" Size
- ▶ Resolution (1366 x 768)
- ▶ 43% Transparency (Typ.)
- ▶ P-cap touch
- ▶ OLED Care system

Product Highlights

The "30 Inch Transparent Touchscreen Desktop Display" (Model: RK-O30-ZTP6) is a revolutionary product that combines advanced interactive technology with a compact, transparent design. Aimed at providing an engaging user experience while accommodating space-conscious setups, this display represents a leap forward in desktop display technology. Let's explore the unique features that make the RK-O30-ZTP6 an innovative solution for both professional and personal environments

Product Highlights.



Specifications

Model	RK-O30-ZTP6
<i>Display Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	686.1 * 533.8 * 44(mm)
<i>Weight(Net Weight)</i>	6kg (13.2 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<90W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.


RK-O30-QTP6

30"

30-Inch Transparent OLED Video Wall Display




- ▶ 30" Size
- ▶ Resolution (1366 x 768)
- ▶ 43% Transparency (Typ.)
- ▶ Video wall design
- ▶ OLED Care system



Product Highlights

1. "30-Inch Video Wall with Flexible N x 1 Configuration" – This highlights the product's adaptable design, allowing for versatile installation setups to suit different space requirements and visual impact goals.
2. "Versatile Design Applications" – Emphasizes the product's flexibility in design, making it suitable for a wide range of applications and environments, enhancing aesthetic appeal and functionality.



Specifications

Model	RK-O30-QTP6
<i>Display Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	681*424*147(mm)
<i>Weight(Net Weight)</i>	8.5 kg (18.7 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<90W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O48-QTP6

48"


48" Super Ultra-Wide Open Cell T_OLED



- ▶ 48" Size
- ▶ Resolution (1920 x 540)
- ▶ 43% Transparency (Typ.)
- ▶ Embedded Design
- ▶ OLED Care system

Product Highlights

Designed for desktops, the 48' OLED Desktop Embedded Transparent Screen can be easily embedded in a desktop or desktop stand for seamless integration. This type of installation not only saves space, but also makes the screen more coherent and unified with the surrounding environment, enhancing the overall aesthetics.



Specifications

Model	RK-O48-QTP6
<i>Display Size</i>	48"
<i>Display Resolution</i>	1920 x 540
<i>Brightness Range</i>	150-400 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>Contrast</i>	150000: 1
<i>Frame</i>	Iron
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1203.3 * 218.6 * 421.3(mm)
<i>Weight(Net Weight)</i>	45 kg (99.2 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<200W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.


RK-O55-QTP6-L

55"

55-Inch L Open Cell Transparent OLED Display



- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 43% Transparency (Typ.)
- ▶ Open Cell Design
- ▶ OLED Care system



Product Highlights

The "55-inch L Open Cell Transparent OLED Display" (Model: RK-O55-QTP6-L) is a pinnacle of display innovation, designed to integrate seamlessly into modern environments while providing an unparalleled viewing experience. This display combines the best of OLED technology with a transparent design, offering a unique blend of visual quality and aesthetic appeal. Here are the detailed selling points of this sophisticated product.



Specifications

Model	RK-O55-QTP6-L
<i>Display Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1237.5 * 782.9 * 222 (mm)
<i>Weight(Net Weight)</i>	35 kg (77.1 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-ZTP6-TV

55"


55-Inch OLED TV Display



- ▶ *55" Size*
- ▶ *Resolution (1920 x 1080)*
- ▶ *43% Transparency (Typ.)*
- ▶ *Lightweight integrated design*
- ▶ *OLED Care system*

Product Highlights

The 55 inch transparent OLED display is designed to seamlessly blend with modern environments while providing an unparalleled viewing experience. This display combines the essence of OLED technology with transparent design to provide a unique transparent design, which uniquely integrates visual quality and aesthetic feeling.



Specifications

Model	RK-O55-ZTP6-TV
<i>Display Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency (Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1225.5 * 798 * 220 (mm)
<i>Weight(Net Weight)</i>	17.5 kg (38.58 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O77-QTGA

77"

77-Inch Transparent OLED Cinema Display



- ▶ *77" Size*
- ▶ *Resolution (3840 x 2160)*
- ▶ *43% Transparency (Typ.)*
- ▶ *Embedded Design*
- ▶ *OLED Care system*



Product Highlights

In today's age of ultimate visual experience and luxury, the 77" OLED Desktop Embedded Transparency Screen is a perfect example of the fusion of technology and art. OLED screens are known for their excellent colour representation and high contrast ratio. In the screen display, the details of a woman's hand, the shine of red nail polish, and the colour of jewellery set on a wine glass are all perfectly reproduced on the screen.



Specifications

Model	RK-O77-QTGA
<i>Display Size</i>	77"
<i>Display Resolution</i>	4K (3840 x 2160)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1713.26 * 360 * 1106.5(mm)
<i>Weight(Net Weight)</i>	100 kg (220.4 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<480W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.


RK-O30-MTP6/RK-O55/77-MTPA

30" 55" 77"

30/55/77 Inch OLED Module Transparent Display



- ▶ *30/55/77" Size*
- ▶ *Resolution (1366 x 768)(1920 x 1080)(3840 x 2160)*
- ▶ *43% Transparency (Typ.)*
- ▶ *Module design*
- ▶ *OLED Care system*



Product Highlights

High contrast: OLED screen is self-luminous by pixels, which can cover a wide color gamut, making the image richer in light and dark levels and more vivid in color.

High transparency: 30-inch, 55-inch and 77-inch OLED modules may have transparency, and the transparency can reach 45%, which can perfectly combine the information presentation ability of traditional displays with the transparency of glass, bringing unprecedented visual experience to commercial exhibitions and public spaces.



Specifications

Model	RK-O30-MTP6 / RK-O55-MTPA / RK-O77-MTPA
<i>Display Size</i>	30" / 55" / 77"
<i>Display Resolution</i>	1366 x 768 / 1920 x 1080 / 3840 x 2160
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>Tempered glass thickness</i>	3-6mm
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	680 * 454 * 10.5(mm) 1225.5 * 765 * 10.5(mm) 1730 * 1068.1 * 12.5(mm)
<i>Weight(Net Weight)</i>	6/20/68 kg (13.2/44/149.9 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<90W / <190W / <480W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-LTP6-ART

55"


55-Inch Transparent OLED Art Display



- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 43% Transparency (Typ.)
- ▶ Exclusive for High-End Art Exhibitions
- ▶ Full aluminum design
- ▶ OLED Care system

Product Highlights

Exclusive for High-End Art Exhibitions: The RK-O55-LTPX is designed with the elite art world in mind. Its superior image quality and unique display capabilities make it an ideal choice for showcasing artworks. The vivid clarity and true-to-life color representation of this display ensure that each piece of art is presented in its full glory, captivating the viewers and elevating the overall Product Highlights exhibition experience.



Specifications

Model	RK-O55-LTP6-ART
<i>Display Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1762 * 772 * 327 (mm)
<i>Weight(Net Weight)</i>	58.1kg (128 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-LTP6-AI

55"

55-Inch AI Touch Transparent OLED Totem



- ▶ *55" Size*
- ▶ *Full HD Resolution (1920 x 1080)*
- ▶ *43% Transparency (Typ.)*
- ▶ *Dual-Column Stand Design for Stability and Style*
- ▶ *Ultra-Narrow Bezel for Seamless Visual Experience*
- ▶ *OLED Care system*

Product Highlights

The "55-inch AI Touch Transparent OLED Totem" (Model: RK-O55-LTPA) is a cutting-edge display solution that combines the latest in transparent OLED technology with artificial intelligence, offering a truly interactive and futuristic experience. This display is designed to captivate users with its intelligent interaction capabilities and sleek aesthetic, making it a perfect fit for high-end retail spaces, interactive exhibitions, and smart office environments. Let's delve into the detailed selling points that make this product stand out.



Specifications

Model	RK-O55-LTP6-AI
<i>Display Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1859.4 * 757 * 307 (mm)
<i>Weight(Net Weight)</i>	45 kg (99.2 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-LTP6-K

30"

30-Inch Touch Transparent OLED Kiosk



- ▶ *30" Size*
- ▶ *Resolution (1366 x 768)*
- ▶ *43% Transparency (Typ.)*
- ▶ *With Self-ordering Menu System*
- ▶ *EU and Russia Patent Design at 2024*
- ▶ *OLED Care system*

Product Highlights

1.Sleek Curved All-Glass Design - The product features an elegant, all-glass body with a smooth, curved design, offering a modern and sophisticated aesthetic.

2.EU Design Patent Certified- The product's unique appearance and design are protected under an EU design patent, ensuring its exclusivity and Product Highlights innovation in the market.



Specifications

Model	RK-O30-LTP6-K
<i>Display Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Brightness Range</i>	200-600 cd/m ²
<i>Material</i>	Aluminum
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>Printer</i>	Optional
<i>Payment gate(OPS)</i>	Optional
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	606 * 1589 * 296 (mm)
<i>Weight(Net Weight)</i>	35 kg (77.1 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<120W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-LTP6-Z

30"

30-Inch Landscape Touch OLED Kiosk



- ▶ 30" Size
- ▶ Resolution (1366 x 768)
- ▶ 43% Transparency (Typ.)
- ▶ P-cap
- ▶ OLED Care system

Product Highlights

1.Sleek Curved All-Glass Design - The product features an elegant, all-glass body with a smooth, curved design, offering a modern and sophisticated aesthetic.

2.EU Design Patent Certified- The product's unique appearance and design are protected under an EU design patent, ensuring its exclusivity and Product Highlights innovation in the market.



Specifications

Model	RK-O30-LTP6-Z
<i>Display Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Iron
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1373.75 * 681 * 350 (mm)
<i>Weight(Net Weight)</i>	42kg (94.7 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<90W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O48-QTP6-B

48"

48-Inch OLED Desktop Embedded
Transparent Screen



- ▶ *48" Size*
- ▶ *Resolution 1920 x 540*
- ▶ *43% Transparency (Typ.)*
- ▶ *Embedded design*
- ▶ *OLED Care system*



Product Highlights

The overall design of the OLED display case is simple and modern, in line with the aesthetic needs of a modern home or commercial space. It highlights both the showcase itself and the appeal of the display items inside. Such a screen could be used to play videos, pictures or dynamic adverts, adding more information and interactive elements to the display.



Specifications

Model	RK-O48-QTP6-B
<i>Display Size</i>	48"
<i>Display Resolution</i>	1920 x 540
<i>Brightness Range</i>	150-400 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>Contrast</i>	150000: 1
<i>Frame</i>	Iron
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1233*504.94*429(mm)
<i>Weight(Net Weight)</i>	45kg (99.2 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-PTG6-1X2

55"

55-Inch 1X2 Video wall OLED



- ▶ *2 x 55" Size*
- ▶ *Full HD Resolution (1920 x 2160)*
- ▶ *43% Transparency (Typ.)*
- ▶ *Sleek Aluminum Alloy Frame Design*
- ▶ *OLED Care system*

Product Highlights

1x2 55-Inch OLED Video Wall Setup: The RK-O55-PTG6-1X2 features a unique 1x2 setup, consisting of two 55-inch transparent OLED panels seamlessly combined to create a larger display area. This configuration not only maximizes the use of space but also enhances the visual continuity across the screens, creating a singular, expansive canvas for displaying content.



Specifications

Model	RK-O55-PTG6-1X2
<i>Display Size</i>	2 x 55"
<i>Display Resolution</i>	FHD (1920 x 2160)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	Infrared Touch /No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1263*404*1915.1(mm)
<i>Weight(Net Weight)</i>	89kg (196.2 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<380W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-LTP6-R

55"

55-Inch Transparent OLED Display for Real Estate Showcase



- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 43% Transparency (Typ.)
- ▶ Tailored for Real Estate Scale Models
- ▶ OLED Care system



Product Highlights

The "55-Inch Transparent OLED Display for Real Estate Showcasing" (Model: RK-O55-LTP6) is a groundbreaking solution designed specifically for the dynamic needs of the real estate industry. Its innovative features enhance the presentation of scale models and architectural designs, offering a captivating and interactive way to visualize future projects. This product integrates cutting-edge technology with a sophisticated design to create an immersive viewing experience for potential clients, product highlights and investors.



Specifications

Model	RK-O55-LTP6-R
<i>Display Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Iron
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1303*1636.13*691.5(mm)
<i>Weight(Net Weight)</i>	82 kg (180.7 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-PTG6-2X2

55"


55-Inch 2X2 Video wall OLED



- ▶ 4 x 55" Size
- ▶ Full HD Resolution (3840 x 2160)
- ▶ 43% Transparency (Typ.)
- ▶ Ultra-Narrow Bezel Design
- ▶ OLED Care system

Product Highlights

55-Inch 2x2 Seamless Transparent OLED Video Wall: Ultra-Clear, Space-Saving Design (Model: RK-O55-PTG6-2X2) stands at the forefront of display technology, embodying the perfect blend of aesthetic minimalism and high-performance functionality. Designed to captivate and impress, this video wall is an ideal solution for premium retail locations, corporate headquarters, and any space where visual communication is paramount.



Specifications

Model	RK-O55-PTG6-2X2
<i>Display Size</i>	4 x 55"
<i>Display Resolution</i>	4K (3840 x 2160)
<i>Brightness Range</i>	600 cd/m ²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	Infrared Touch /No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Iron
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	2577 * 2148 * 500(mm)
<i>Weight(Net Weight)</i>	220 kg (485 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<760W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-WTG2

55"

55-Inch Transparent OLED Display for Museums



- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 43% Transparency (Typ.)
- ▶ High Brightness 600 cd/m² OLED Panel
- ▶ OLED Care system



Product Highlights

Premium Artifact Display Cabinet: The RK-O55-WTP6 is designed not just as a display but as a premium artifact display cabinet that redefines the museum experience. This integration of a 55-inch transparent OLED display into a cabinet allows artifacts to be viewed in unprecedented clarity and detail. The crystal-clear visibility afforded by the OLED technology means that every nuance of an artifact is visible, from the subtle textures of ancient pottery to the fine brushstrokes on historic manuscripts.



Specifications

Model	RK-O55-WTG2
<i>Display Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Iron
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	2053.5 * 810 * 810(mm)
<i>Weight(Net Weight)</i>	108kg (238 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-LTGA

30"


30-Inch OLED transparent display cabinet



- ▶ 30" Size
- ▶ Resolution 1366 x 768
- ▶ 43% Transparency (Typ.)
- ▶ Floor standing or integrated
- ▶ OLED Care system

Product Highlights

30-Inch Transparent Display Cabinet, The 30-inch OLED transparent display case not only meets consumers' dual demands for technology and aesthetics, but through its revolutionary design, imbues the presentation of luxury goods with an even more dreamlike allure. Without a doubt, this product will become the new benchmark for luxury retail experiences, injecting the industry with fresh vitality.



Specifications

Model	RK-O30-LTGA
<i>Display Size</i>	30"
<i>Display Resolution</i>	768 x 1366
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency (Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1095 * 450 * 450(mm)
<i>Weight(Net Weight)</i>	38.5kg (84.8lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<90W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O48-GTPA

48"

48-Inch Stretched OLED Cabinet



- ▶ 48" Size
- ▶ Full HD Resolution (540 x 1920)
- ▶ 43% Transparency (Typ.)
- ▶ Floor standing or tiled installation
- ▶ OLED Care system

Product Highlights

48-Inch Stretched OLED Cabinet featuring a resolution of 540 x 1920, tailored for elongated display solutions in retail and public spaces. Offers superior image quality and a sleek design, ideal for engaging advertisements and information dissemination.



Specifications

Model	RK-O48-GTPA
<i>Display Size</i>	48"
<i>Display Resolution</i>	1920 x 540
<i>Brightness Range</i>	150-400 cd/m ²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	P-cap Touch/ No Touch
<i>Transparency(Typ.)</i>	43%
<i>Contrast</i>	150000: 1
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1474 * 418 * 418(mm)
<i>Weight(Net Weight)</i>	44.5kg (98.1 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<190W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-LTGA

30"

30-Inch Transparent OLED Screen High-end
Red Wine Wooden Desk Display



- ▶ 30" Size
- ▶ Resolution 1366 x 768
- ▶ 43% Transparency (Typ.)
- ▶ Floor standing or integrated
- ▶ OLED Care system

Product Highlights

30 inch Transparent OLED Showcase : This transparent display case powered by advanced OLED technology imbues rare vintages of wine with an unprecedented artistic quality. Unlike traditional enclosed displays, its ultra-slim frames and seamless glass create a dreamlike, almost levitating effect for each bottle. Whether it's a Super Bordeaux or a rare single-varietal wine, each vintage exudes an even more enchanting allure under this unique visual presentation.



Specifications

Model	RK-O30-LTGA
<i>Display Size</i>	30" / 27"
<i>Display Resolution</i>	30 inch OLED: 1366 x 768 / 27 inch LCD: 1920 x 1080
<i>Brightness Range</i>	30 inch OLED: 200-600 cd/m ² / 27 inch LCD: 200-400cd/m ²
<i>Basic Interface</i>	30 inch OLED: HDMI / DP/USB/ RS232
<i>Touch Option</i>	30 inch OLED: P-cap Touch/ No Touch / 27 inch LCD: USBx2, RJ45x1
<i>Transparency(Typ.)</i>	30 inch OLED: 43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Wood/Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	812 * 438 * 1384(mm)
<i>Weight(Net Weight)</i>	55kg (121.2lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<180W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O30-LTPA

30"


30-Inch Transparent Touch Information Kiosk



- ▶ 30" Size
- ▶ Resolution (1366 x 768)
- ▶ 43% Transparency (Typ.)
- ▶ OLED Care system

Product Highlights

The 30 inch transparent query all-in-one machine adopts advanced design concepts, emphasizing innovation and user experience. Transparent screens can display information while allowing users to see the physical objects or environment behind them, enhancing interactivity. Suitable for various scenarios, such as shopping mall guide, museum display, enterprise information inquiry, etc. Users can interact through the touch screen to quickly obtain the required information.



Specifications

Model	RK-O30-LTPA
<i>Display Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch</i>	PCAP Touch
<i>Transparency (Typ.)</i>	43%
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1707*69*446(mm)
<i>Weight(Net Weight)</i>	44.45 kg (97.9 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<100W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.

RK-O55-DRN6

55"

55-Inch Ceiling Mount Flat OLED



- ▶ 55" Size
- ▶ 4K Resolution (3840 x 2160)
- ▶ Curvable OLED (non-transparency)
- ▶ Ceiling mount or tiled installation
- ▶ Dual sides optional
- ▶ OLED Care system

Product Highlights

Unlike traditional flat screens, the RK-O55-DRN6 boasts a gently curved design that mimics the natural curvature of the human eye. This ingenious feature ensures every point on the screen is at an equal distance from your eyes, reducing eye strain and creating a truly panoramic viewing experience. Whether you're watching a fast-paced action movie or engrossed in a detailed documentary, the curve ensures a uniform and captivating view from edge to edge.




Specifications


Model	RK-O55-DRN6
<i>Display Size</i>	55"
<i>Display Resolution</i>	4K (3840 x 2160)
<i>Brightness Range</i>	200-600 cd/m²
<i>Basic Interface</i>	HDMI / DP/USB/ RS232
<i>Touch Option</i>	No Touch
<i>Transparency(Typ.)</i>	Non
<i>OLED Care system</i>	YES
<i>Frame</i>	Aluminum
<i>Panel Lifetime</i>	30,000 Hrs (Typ.)
<i>Color Depth</i>	10 bit (R), 1.07 Billion Colors
<i>Product Dimension</i>	1781 * 700.54 * 14(mm)
<i>Weight(Net Weight)</i>	16.5kg (36.4 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<380W

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.



Portrait x 14pcs, $r=1537.5$



Landscape x8 pcs, $r=1547.5$




C-OLED

42" 48" 55" 65" 77"

Ultra-Thin Curvable Display OLED



- ▶ 42" 48" 55" 65" 77" Size
- ▶ UHD 3840 x 2160
- ▶ OLED curvable panel
- ▶ Reduce power consumption by 40% compared to traditional LEDs
- ▶ The overall thickness of the body is only 21mm
- ▶ OLED Care system



Product Highlights

Stunning picture quality: Self luminous pixels bring infinite contrast, pure black and wide color gamut, with vivid and realistic colors.

Lightweight and energy-saving: lighter and thinner than LCD, lower power consumption, and longer battery life.

Full scene adaptation: Say goodbye to the old era of LCD, with comprehensive size coverage to meet various display needs.



Specifications

Model	C-OLED
<i>Display Size</i>	42" 48" 55" 65" 77"
<i>Display Resolution</i>	4K (3840 x 2160)
<i>Brightness</i>	500 cd/m ²
<i>Basic Interface</i>	USB*1 / HDMI*1 / DP*1 / RS232*1
<i>Touch Option</i>	No Touch
<i>Aspect ratio</i>	16: 9
<i>Viewing Angle(typical)</i>	R/L 120, U/D 120
<i>Frame</i>	Aluminum
<i>On Bezel</i>	5.9 mm
<i>Color gamut</i>	98.5%
<i>Bending Degree</i>	> R1500
<i>Weight(Net Weight)</i>	From 2.1 kg
<i>Material</i>	Profile + Sheet Metal
<i>Installation Method</i>	Vertical / Wall mounted / Ceiling hanging / Splicing

For more information, click to visit: <https://ceoled-display.com/products/>

CEOLED is a trademark of Shenzhen CEOLED Display co Ltd. All other trademarks and service marks are property of their holders. Copyright © 2025 Shenzhen CEOLED Display co Ltd. All rights reserved. This document may not be copied in any form without permission from CEOLED. Information in this document is subject to change without notice.



HOLOGRAMS UK

THE FUTURE. ON DISPLAY.

07847 274283

SALES@HOLOGRAMSUK.COM

HOLOGRAMSUK.COM